ELSEVIER

Wear 198 (1996) 315

WEAR

Author Index of Volume 198

Afaghani, J.E.D., 229
Afanasyev, S.N., 280
Arsecularatne, J.A., 220

Batchelor, A.W., 208
Bell, T., 300
Bloyce, A., 300
Bonis, M., 1
Bower, A.F., 15
Bronson, A., 267

Celis, J.P., 251
Chandrasekaran, M., 208
Checkina, O.G., 33
Chen, K., 108
Chen, L., 165
Chen, Y.W., 58
Chen, Z., 197
Cuneo, J.C., 197

De Bonte, M., 251

Farris, T.N., 93
Fourka, M., 1
Fowle, R.F., 220
Fox-Rabinovich, G.S., 280

Garbar, I.I., 86
Goryacheva, I., 307
Goryacheva, I.G., 33
Griffiths, B.J., 39

He, Z., 108
Horaguchi, I., 229

Hu, S., 197
Hwang, C.-C., 156

Ikeda, H., 71
Ishihara, T., 169

Jin, W., 236
Jin, Y.B., 236
Jr, ., 115, 197

Kallas, P., 77
Kamada, T., 150
Karmakar, S., 242
Kobayashi, T., 52
Kovalev, A.I., 280
Krasnik, V.G., 33

Lam, L.N., 208
Li, S., 122, 236
Li, S.Z., 122, 236
Li, Y., 129, 165
Liang, Y.N., 122, 236
Lin, J.F., 7, 58
Lin, J.-R., 156
Lin, L., 185
Lin, R.J., 136
Lin, S.C., 136
Liu, H., 143, 185, 216
Liu, M.H., 7
Liu, Y., 287
Lugscheider, E., 251

Maleque, M.A., 293
Masjuki, H.H., 293
Mathew, P., 220
Mecholsky, J.J., 197
Middleton, R.H., 39
Mills, B., 192
Mizuno, T., 176
Mohanty, M., 251
Mote, C.D., 115
Mulki, H., 176

Nakamoto, T., 229
Nakayama, K., 52, 71
Ngai, T.L., 129
Noguchi, T., 150

Ohlsson, R., 271
Oliveira, S.A.G., 15
Oxley, P.L.B., 220

Prashad, H., 46

Qi, H.S., 192

Rao, U.R.K., 242
Rosén, B.-G., 271

Sadeghi, F., 307
Serratos, M., 267
Sethuramiah, A., 242
Shen, W., 216, 287
Shi, Z., 300
Shih, M.G., 58
Shimizu, K., 150
Smith, R.W., 251
Sun, Y., 300
Szolwinski, M.P., 93

Takasaki, H., 150
Tang, J., 165
Tang, X., 287
Thomas, T.R., 271
Tian, Y., 1

Wang, Q., 216
Wang, X., 287
Wang, Y., 287
Wang, Y.K., 115
Wilkie, B.A., 39
Wu, J.D., 7

Xia, W., 129
Xu, G., 307
Xu, J., 216
Xue, Q., 143, 185, 216

Yamaguchi, K., 229
Yang, R.-F., 156
Yen, B.K., 169
Yu, S., 108

Zhang, B., 287
Zhang, R.H., 122
Zhang, W., 129
Zhao, W., 165

Elsevier Science S.A.

ELSEVIER

Wear 198 (1996) 317–320

WEAR

Subject Index of Volume 198

Abrasion
wear maps of TZP/steel reciprocating sliding couple under dry sliding, 185
Abrasive wear
indentation energy and abrasive wear of metals, 77
Adherent layers
on the formation mechanism of adherent layers on a cutting tool, 192
Adiabatic shear band
a study on the behavior of adiabatic shear bands in impact wear, 287
Air bearing
prediction of the stability of air thrust bearings by numerical, analytical and experimental methods, 1
Al_2O_3
dry sliding friction and wear behaviour of short fibre reinforced zinc-based alloy composites, 108
Al–Si alloy
effect of humidity on friction and wear of Al–Si eutectic alloy and Al–Si alloy–graphite composites, 169
Aluminium bronze
influence of surface melting on dry rolling–sliding wear of aluminium bronze against steel, 300
Aluminum alloy/graphite composite
the tribological performance of 6061 aluminum alloy/graphite composite materials in oil lubrications with EP additives, 58
Aluminum–graphite composites
effect of humidity on friction and wear of Al–Si eutectic alloy and Al–Si alloy–graphite composites, 169
Anti-wear characteristic
the effect of palm oil diesel fuel contaminated lubricant on sliding wear of cast irons against mild steel, 293
Arbitrarily shaped
analysis of an arbitrary shaped guide bearing subject to normal oscillation and translation of a plate, 115
Asperities
formation and separation of the fragmented surface structure of low-carbon steel and copper under friction, 86

Bearing
analysis of an arbitrary shaped guide bearing subject to normal oscillation and translation of a plate, 115
Bearing materials
damage processes in Si_3N_4 bearing material under contact loading, 197
Bearings
diagnosis of failure of rolling-element bearings of alternators—a study, 46
Brinkman model
hydrodynamic lubrication of long, flexible, porous journal bearings using the Brinkman model, 156

C_{70}
high friction coefficient of fullerene C_{70} film, 165

Carbon film
triboemission characteristics of electrons during wear of amorphous carbon and hydrogenated amorphous carbon films in a dry air atmosphere, 71
Ceramic coatings
analysis of the friction and wear mechanism of structural ceramic coatings. Part 2: The effect of operating conditions and substrate material, 7
Ceramics
damage processes in Si_3N_4 bearing material under contact loading, 197
Characterization
wear of cylinder bore microtopography, 271
Coating
an analysis of fracture and delamination in thin coatings subjected to contact loading, 15
Coating cracks
changes in surface texture of zinc-coated steel sheets under plastic deformation, 176
Coefficient of friction
the tribological properties of TZP–graphite self-lubricating ceramics, 143
Composite
effect of fiber orientation on a graphite fiber composite in single pendulum scratching, 122
characterization and application of the sliding wear of hardened die steel against SiC whisker–plastic composite, 229
Computer modelling
the model for tool wear in rock cutting, 33
Condition monitoring
condition monitoring of the grinding process using light scattering, 39
Contact load
damage processes in Si_3N_4 bearing material under contact loading, 197
Corrosion
the effect of oxygen partial pressure on the stability of Magneli phases in high temperature corrosive wear, 267
Crack nucleation
mechanics of fretting fatigue crack formation, 93
75/25 Cr_3C_2/NiCr
sliding wear behavior of thermally sprayed 75/25 Cr_3C_2/NiCr wear resistant coatings, 251
Cutting
the model for tool wear in rock cutting, 33
Cutting temperature
prediction of tool life in oblique machining with nose radius tools, 220
Cutting tool
on the formation mechanism of adherent layers on a cutting tool, 192
Cutting tools
characteristic features of wear in tools made of high-speed steels with surface engineered coatings II: Study of surface engineered high-speed steel cutting tools by AES, SIMS and EELFAS methods, 280
Cylinder liner
wear of cylinder bore microtopography, 271

Elsevier Science S.A.

Damage
damage processes in Si_3N_4 bearing material under contact loading, 197
Deformed band
a study on the behavior of adiabatic shear bands in impact wear, 287
Delamination
an analysis of fracture and delamination in thin coatings subjected to contact loading, 15

Electric current
diagnosis of failure of rolling-element bearings of alternators—a study, 46
Electron
triboemission characteristics of electrons during wear of amorphous carbon and hydrogenated amorphous carbon films in a dry air atmosphere, 71
Erosive wear
progress of erosive wear in spheroidal graphite cast iron, 150

Face milling
tool wear monitoring in face milling using force signals, 136
Fatigue
mechanics of fretting fatigue crack formation, 93
an approach towards fatigue wear modelling, 242
Film
high friction coefficient of fullerene C_{70} film, 165
Finite element method
prediction of the stability of air thrust bearings by numerical, analytical and experimental methods, 1
Flexible
hydrodynamic lubrication of long, flexible, porous journal bearings using the Brinkman model, 156
Fracture
an analysis of fracture and delamination in thin coatings subjected to contact loading, 15
a study on the behavior of adiabatic shear bands in impact wear, 287
Fragmentation
formation and separation of the fragmented surface structure of low-carbon steel and copper under friction, 86
Free surface roughening
changes in surface texture of zinc-coated steel sheets under plastic deformation, 176
Fretting
mechanics of fretting fatigue crack formation, 93
Friction
analysis of the friction and wear mechanism of structural ceramic coatings. Part 2: The effect of operating conditions and substrate material, 7
effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron/iron frictional system under perfluoropolyether fluid lubrication, 52
influence of surface melting on dry rolling–sliding wear of aluminium bronze against steel, 300
Frictional transfer
lubrication of stellite at ambient and elevated temperatures by transfer films from a graphite slider, 208
Friction and wear
dry sliding friction and wear behaviour of short fibre reinforced zinc-based alloy composites, 108
effect of humidity on friction and wear of Al–Si eutectic alloy and Al–Si alloy–graphite composites, 169
Friction coefficient
effect of fiber orientation on a graphite fiber composite in single pendulum scratching, 122
high friction coefficient of fullerene C_{70} film, 165
viscoelastic effects in lubricated contacts, 307

Graphite
lubrication of stellite at ambient and elevated temperatures by transfer films from a graphite slider, 208
Grinding
condition monitoring of the grinding process using light scattering, 39
characterization and application of the sliding wear of hardened die steel against SiC whisker–plastic composite, 229

Hardness effect
influence of surface melting on dry rolling–sliding wear of aluminium bronze against steel, 300
Humidity
effect of humidity on friction and wear of Al–Si eutectic alloy and Al–Si alloy–graphite composites, 169
HVOF spray process
sliding wear behavior of thermally sprayed 75/25 Cr_3C_2/NiCr wear resistant coatings, 251
Hydrodynamic lubrication
hydrodynamic lubrication of long, flexible, porous journal bearings using the Brinkman model, 156

Impact wear
a study on the behavior of adiabatic shear bands in impact wear, 287
Indentation energy
indentation energy and abrasive wear of metals, 77
Infrared spectra
high friction coefficient of fullerene C_{70} film, 165
Interface cracks
an analysis of fracture and delamination in thin coatings subjected to contact loading, 15
Iron fluoride
effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron/iron frictional system under perfluoropolyether fluid lubrication, 52

Journal bearing
hydrodynamic lubrication of long, flexible, porous journal bearings using the Brinkman model, 156

Light scattering
condition monitoring of the grinding process using light scattering, 39
Lubricant
high friction coefficient of fullerene C_{70} film, 165
the effect of palm oil diesel fuel contaminated lubricant on sliding wear of cast irons against mild steel, 293
Lubricated contacts
viscoelastic effects in lubricated contacts, 307
Lubrication
lubrication of stellite at ambient and elevated temperatures by transfer films from a graphite slider, 208
Lubricious oxides
the effect of oxygen partial pressure on the stability of Magneli phases in high temperature corrosive wear, 267

Machining
on the formation mechanism of adherent layers on a cutting tool, 192
Magnetic flux
diagnosis of failure of rolling-element bearings of alternators—a study, 46
Manganese
effects of Mn content on the tribological behaviors of Zn–27% Al–2% Cu alloy, 129
Maxwell model
viscoelastic effects in lubricated contacts, 307
Metallurgical coatings
characteristic features of wear in tools made of high-speed steels with surface engineered coatings. II: Study of surface engineered high-

speed steel cutting tools by AES, SIMS and EELFAS methods, 280
Metal matrix composite
dry sliding friction and wear behaviour of short fibre reinforced zinc-based alloy composites, 108
Metals
indentation energy and abrasive wear of metals, 77
Microcracking
wear maps of TZP/steel reciprocating sliding couple under dry sliding, 185
Microtopography
wear of cylinder bore microtopography, 271
Monitoring
tool wear monitoring in face milling using force signals, 136
Morphologies of the wear traces
the effect of particle size of nanometer ZrO_2 on the tribological behaviour of PEEK, 216
Multiaxial fatigue
mechanics of fretting fatigue crack formation, 93

Nanometer ZrO_2-filled polyetheretherketone (PEEK) composite
the effect of particle size of nanometer ZrO_2 on the tribological behaviour of PEEK, 216
Neural network
tool wear monitoring in face milling using force signals, 136
Nitrides
analysis of the friction and wear mechanism of structural ceramic coatings. Part 2: The effect of operating conditions and substrate material, 7
damage processes in Si_3N_4 bearing material under contact loading, 197
Non-linear analysis
prediction of the stability of air thrust bearings by numerical, analytical and experimental methods, 1
Nose radius tools
prediction of tool life in oblique machining with nose radius tools, 220

Oblique machining
prediction of tool life in oblique machining with nose radius tools, 220
Oil lubrication
the tribological performance of 6061 aluminum alloy/graphite composite materials in oil lubrications with EP additives, 58
Orientation
characterization and application of the sliding wear of hardened die steel against SiC whisker–plastic composite, 229
Orientation angle
effect of fiber orientation on a graphite fiber composite in single pendulum scratching, 122
Oscillation
analysis of an arbitrary shaped guide bearing subject to normal oscillation and translation of a plate, 115
Oxidation
analysis of the friction and wear mechanism of structural ceramic coatings. Part 2: The effect of operating conditions and substrate material, 7
Oxygen
effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron/iron frictional system under perfluoropolyether fluid lubrication, 52

Palm oil diesel
the effect of palm oil diesel fuel contaminated lubricant on sliding wear of cast irons against mild steel, 293
Particle size of nanometer ZrO_2
the effect of particle size of nanometer ZrO_2 on the tribological behaviour of PEEK, 216
Perfluoropolyether
effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron/iron frictional system under perfluoropolyether fluid lubrication, 52
Pin-on-disk tests
sliding wear behavior of thermally sprayed 75/25 Cr_3C_2/NiCr wear resistant coatings, 251
Plastic deformation
changes in surface texture of zinc-coated steel sheets under plastic deformation, 176
wear maps of TZP/steel reciprocating sliding couple under dry sliding, 185
Plastic flow
formation and separation of the fragmented surface structure of low-carbon steel and copper under friction, 86
Plasticity index
wear of cylinder bore microtopography, 271
Porous
hydrodynamic lubrication of long, flexible, porous journal bearings using the Brinkman model, 156
Pseudoelasticity
wear behavior of a TiNi alloy, 236
Pseudoplasticity
wear behavior of a TiNi alloy, 236

Rock fracture
the model for tool wear in rock cutting, 33
Rolling/sliding contact
an approach towards fatigue wear modelling, 242
Rolling contact
an analysis of fracture and delamination in thin coatings subjected to contact loading, 15
Rolling elements
diagnosis of failure of rolling-element bearings of alternators—a study, 46
Rolling–sliding
influence of surface melting on dry rolling–sliding wear of aluminium bronze against steel, 300
Roughness
wear of cylinder bore microtopography, 271

Seizure
the tribological performance of 6061 aluminum alloy/graphite composite materials in oil lubrications with EP additives, 58
Sliding wear resistance
sliding wear behavior of thermally sprayed 75/25 Cr_3C_2/NiCr wear resistant coatings, 251
Specific energy
effect of fiber orientation on a graphite fiber composite in single pendulum scratching, 122
Specific wear rate
the effect of palm oil diesel fuel contaminated lubricant on sliding wear of cast irons against mild steel, 293
Spheroidal graphite cast iron
progress of erosive wear in spheroidal graphite cast iron, 150
Stability
prediction of the stability of air thrust bearings by numerical, analytical and experimental methods, 1
Steel
characteristic features of wear in tools made of high-speed steels with surface engineered coatings II: Study of surface engineered high-speed steel cutting tools by AES, SIMS and EELFAS methods, 280
Stellite
lubrication of stellite at ambient and elevated temperatures by transfer films from a graphite slider, 208

Strain limit
wear behavior of a TiNi alloy, 236
Stribeck curve
the tribological performance of 6061 aluminum alloy/graphite composite materials in oil lubrications with EP additives, 58
Structure
formation and separation of the fragmented surface structure of low-carbon steel and copper under friction, 86
Suction
analysis of an arbitrary shaped guide bearing subject to normal oscillation and translation of a plate, 115
Surface damage
diagnosis of failure of rolling-element bearings of alternators—a study, 46
Surface finish
condition monitoring of the grinding process using light scattering, 39
characterization and application of the sliding wear of hardened die steel against SiC whisker–plastic composite, 229
Surface fracture
wear maps of TZP/steel reciprocating sliding couple under dry sliding, 185
Surface layer
formation and separation of the fragmented surface structure of low-carbon steel and copper under friction, 86
Surface melting
influence of surface melting on dry rolling–sliding wear of aluminium bronze against steel, 300
Surface texture
changes in surface texture of zinc-coated steel sheets under plastic deformation, 176

Test variables effect
sliding wear behavior of thermally sprayed 75/25 Cr_3C_2/NiCr wear resistant coatings, 251
Thermodynamics
the effect of oxygen partial pressure on the stability of Magneli phases in high temperature corrosive wear, 267
TiNi alloy
wear behavior of a TiNi alloy, 236
Titanium carbide
the effect of oxygen partial pressure on the stability of Magneli phases in high temperature corrosive wear, 267
Tool life
prediction of tool life in oblique machining with nose radius tools, 220
Tool wear
the model for tool wear in rock cutting, 33
tool wear monitoring in face milling using force signals, 136
Transfer film
the effect of particle size of nanometer ZrO_2 on the tribological behaviour of PEEK, 216
Transformed band
a study on the behavior of adiabatic shear bands in impact wear, 287
Translation
analysis of an arbitrary shaped guide bearing subject to normal oscillation and translation of a plate, 115
Triboemission
triboemission characteristics of electrons during wear of amorphous carbon and hydrogenated amorphous carbon films in a dry air atmosphere, 71
Tribological behaviors
effects of Mn content on the tribological behaviors of Zn–27% Al–2% Cu alloy, 129
Tribological behaviour
the effect of particle size of nanometer ZrO_2 on the tribological behaviour of PEEK, 216
TZP ceramics
the tribological properties of TZP–graphite self-lubricating ceramics, 143
wear maps of TZP/steel reciprocating sliding couple under dry sliding, 185
TZP–graphite self-lubricating ceramics
the tribological properties of TZP–graphite self-lubricating ceramics, 143

Vacuum
effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron/iron frictional system under perfluoropolyether fluid lubrication, 52
Viscoelastic layer
viscoelastic effects in lubricated contacts, 307

Wear
an analysis of fracture and delamination in thin coatings subjected to contact loading, 15
effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron/iron frictional system under perfluoropolyether fluid lubrication, 52
formation and separation of the fragmented surface structure of low-carbon steel and copper under friction, 86
high friction coefficient of fullerene C_{70} film, 165
on the formation mechanism of adherent layers on a cutting tool, 192
characterization and application of the sliding wear of hardened die steel against SiC whisker–plastic composite, 229
wear behavior of a TiNi alloy, 236
the effect of oxygen partial pressure on the stability of Magneli phases in high temperature corrosive wear, 267
wear of cylinder bore microtopography, 271
the effect of palm oil diesel fuel contaminated lubricant on sliding wear of cast irons against mild steel, 293
influence of surface melting on dry rolling–sliding wear of aluminium bronze against steel, 300
Wear energy
indentation energy and abrasive wear of metals, 77
Wear mechanism
analysis of the friction and wear mechanism of structural ceramic coatings. Part 2: The effect of operating conditions and substrate material, 7
Wear modelling
an approach towards fatigue wear modelling, 242
Wear rate
the tribological properties of TZP–graphite self-lubricating ceramics, 143
Whisker
characterization and application of the sliding wear of hardened die steel against SiC whisker–plastic composite, 229
White-etching layer
a study on the behavior of adiabatic shear bands in impact wear, 287

Zinc-coated steel sheets
changes in surface texture of zinc-coated steel sheets under plastic deformation, 176
Zn–Al alloy
dry sliding friction and wear behaviour of short fibre reinforced zinc-based alloy composites, 108
Zn–Al–Cu alloy
effects of Mn content on the tribological behaviors of Zn–27% Al–2% Cu alloy, 129